

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 100
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/681,414	10/08/2003	Ebrahim Abedifard	400.241US01	7409
27073 75	90 09/20/2005		EXAMINER	
LEFFERT JAY & POLGLAZE, P.A.			LE, THONG QUOC	
P.O. BOX 581009 MINNEAPOLIS, MN 55458-1009			ART UNIT	PAPER NUMBER
			2827	<del></del>

DATE MAILED: 09/20/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
Office Action Summers	10/681,414	ABEDIFARD, EBRAHIM				
Office Action Summary	Examiner	Art Unit	(4)			
	Thong Q. Le	2827				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence ad	Idress			
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status .						
1) Responsive to communication(s) filed on			•			
	action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits						
closed in accordance with the practice under E						
Disposition of Claims						
<ul> <li>4)  Claim(s) 9-11 and 13-22 is/are pending in the application.</li> <li>4a) Of the above claim(s) is/are withdrawn from consideration.</li> <li>5)  Claim(s) 18 and 19 is/are allowed.</li> <li>6)  Claim(s) 9,13,16,17,20 and 22 is/are rejected.</li> <li>7)  Claim(s) 10,11,14,15 and 21 is/are objected to.</li> <li>8)  Claim(s) are subject to restriction and/or election requirement.</li> </ul>						
Application Papers						
9) The specification is objected to by the Examiner 10) The drawing(s) filed on is/are: a) access applicant may not request that any objection to the confidence of Replacement drawing sheet(s) including the correction of the confidence of	epted or b) objected to by the Edrawing(s) be held in abeyance. See on is required if the drawing(s) is obj	: 37 CFR 1.85(a). ected to. See 37 CF	` '			
Priority under 35 U.S.C. § 119			•			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priori application from the International Bureau * See the attached detailed Office action for a list of	s have been received. s have been received in Application ity documents have been receive (PCT Rule 17.2(a)).	on No d in this National	Stage			
Attachment(s)						
Notice of References Cited (PTO-892)  Notice of Draftsperson's Patent Drawing Review (PTO-948)  Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  Paper No(s)/Mail Date	4) Interview Summary ( Paper No(s)/Mail Da 5) Notice of Informal Pa 6) Other:	te	D-152)			

Art Unit: 2827

#### **DETAILED ACTION.**

Page 2

1. Amendment filed on 07/13/2005 has been entered.

2. Claims 9-11,13-22 are presented for examination.

### Response to Arguments

3. Applicant's arguments with respect to claims 9-11,13-22 have been considered but are most in view of the new ground(s) of rejection.

### Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

5. Claims 9, 13, 16-17, 20, 22 are rejected under 35 U.S.C. 102(e) as being anticipated by Tanzawa et al. (U.S. Patent No. 6,605,986).

Art Unit: 2827

Regarding claim 9, Tanzawa et al. disclose a flash memory device (Figure 1) comprising:

a plurality of n-wells (Figure 1, 72) comprising an n-type conductivity material formed in a p-type substrate (Figure 1, 71);

a plurality of p-wells (Figure 1, 73) comprising a p-type conductivity material, each p-well located within an n-well;

a plurality of flash memory array blocks (Figure 2), each comprising a plurality of flash memory cells arranged in rows (Figure 2) that are coupled together by wordlines (Figure 2, WL), each flash memory array block located within a different p-well of the plurality of p-wells (Figure 2); and

a row decoder (Figure 16, 49) coupled to the plurality of memory array blocks through the wordlines, external address signals coupled to the row decoder such that a wordline is selected in response to the address signals.

Regarding claims 13, 16-17, Tanzawa et al. disclose a flash memory device (Figure 1) comprising:

a plurality of lower wells comprising a first conductivity material (Figure 1, 72) formed in a substrate (71) comprising a second conductivity material;

a plurality of isolation wells (73) comprising the second conductivity material, each isolation well located within a lower well;

a plurality of flash memory array blocks (Figure 2), each comprising a plurality of flash memory cells arranged in rows that are coupled together by wordlines (Figure 2,

Art Unit: 2827

WL), each flash memory array block located within a different isolation well of the plurality of isolation wells (Figure 2); and

a row decoder (Figure 16, 49) coupled to the plurality of memory array blocks through the wordlines, external address signals coupled to the row decoder such that a wordline is selected in response to the address signals.

Regarding claim 20, Tanzawa et al. disclose for erasing a memory cell in a memory array block of a plurality of memory array blocks, each memory array block located within a first conductivity material that is located within a second conductivity material, the method comprising: generating an address signal of the memory cell; a row decoder selecting, in response to the address signal, a wordline signal that is coupled to the memory cell, the wordline signal additionally coupled to the plurality of memory array blocks; and coupling a voltage that is less than 0V to the second conductivity material of memory array blocks that are not selected by the wordline signal (Column 19, TABLE 3, (-1), Erase verify, Non-selected WORD LINE).

Regarding claim 22, Tanzawa et al. disclose an electronic system (Figure 16) comprising:

a processor (48) that controls operation of the electronic system and generates address signals and

a flash memory device (Figure 16) coupled to the processor, the device comprising:

a plurality of lower wells comprising a first conductivity material (Figure 1, 72) formed in a substrate (71) comprising a second conductivity material;

Art Unit: 2827

a plurality of isolation wells (73) comprising the second conductivity material, each isolation well located within a lower well:

a plurality of flash memory array blocks (Figure 2), each comprising a plurality of flash memory cells arranged in rows that are coupled together by wordlines (Figure 2, WL), each flash memory array block located within a different isolation well of the plurality of isolation wells (Figure 2); and

a row decoder (Figure 16, 49) coupled to the plurality of memory array blocks through the wordlines, external address signals coupled to the row decoder such that a wordline is selected in response to the address signals.

6. Claims 9, 13, 16-17, 22 are rejected under 35 U.S.C. 102(e) as being anticipated by Hirano (U.S. Patent No. 6,747,901).

Regarding claim 9, Hirano discloses a flash memory device (Figure 2) comprising:

a plurality of n-wells (Figure 2, 11) comprising an n-type conductivity material formed in a p-type substrate (Figure 2, 10, ABSTRACT, Column 6, lines 11-13);

a plurality of p-wells (Figure 2, 12) comprising a p-type conductivity material, each p-well located within an n-well;

a plurality of flash memory array blocks (Figure 1), each comprising a plurality of flash memory cells arranged in rows (Figure 1) that are coupled together by wordlines (Figure 1, WL), each flash memory array block located within a different p-well of the plurality of p-wells (Figure 1); and

Application/Control Number: 10/681,414 Page 6

Art Unit: 2827

a row decoder (Figure 1, RD) coupled to the plurality of memory array blocks through the wordlines, external address signals coupled to the row decoder such that a wordline is selected in response to the address signals.

Regarding claims 13, 16-17, Hirano discloses a flash memory device (Figure 1) comprising:

a plurality of lower wells comprising a first conductivity material (Figure 2,11) formed in a substrate (Figure 2, 10) comprising a second conductivity material;

a plurality of isolation wells (Figure 2, 12) comprising the second conductivity material, each isolation well located within a lower well;

a plurality of flash memory array blocks (Figure 1), each comprising a plurality of flash memory cells arranged in rows that are coupled together by wordlines (Figure 1, WL), each flash memory array block located within a different isolation well of the plurality of isolation wells (Figure 1); and

a row decoder (Figure 1, RD) coupled to the plurality of memory array blocks through the wordlines, external address signals coupled to the row decoder such that a wordline is selected in response to the address signals.

## Allowable Subject Matter

7. Claims 10-11,14-15, 21 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Art Unit: 2827

Claims 10-11,14-15, 21 include allowable subject matter since the prior art made of record and considered pertinent to the applicant's disclosure does not teach or suggest the claimed limitations. Tanzawa et al. (U.S. Patent No. 6,605,986), Hirano (U.S. Patent No. 6,747,901), and others, does not teach the claimed invention having wherein a voltage of 0V is applied to the n- well and a voltage of -5V is applied to the p-well of an unselected flash memory array block during an erase operation, and wherein a voltage of 5V is applied to the n- well and a voltage of 5V is applied to the p-well of an unselected flash memory array block during a program operation.

8. Claims 18-19 are allowed.

Claims 18-19 include allowable subject matter since the prior art made of record and considered pertinent to the applicant's disclosure does not teach or suggest the claimed limitations. Tanzawa et al. (U.S. Patent No. 6,605,986), Hirano (U.S. Patent No. 6,747,901), and others, does not teach the claimed invention having a first voltage that is greater than 0V to the first conductivity material of memory array blocks that are not selected by the wordline signal, and a second voltage that is greater than 0V to the second conductivity material of memory array blocks that are not selected by the wordline signal.

#### Conclusion

9. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within

Application/Control Number: 10/681,414 Page 8

Art Unit: 2827

TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thong Q. Le whose telephone number is 571-272-1783. The examiner can normally be reached on 8:00am-5:00pm M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hoai V. Ho can be reached on 571-272-1777. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Thong Q. Le Primary Examiner

Moyle

Art Unit 2827

THONG LEI PRIMARY EXAMINER